

# CATALOGUE

## METAL CONSTRUCTION

SAFES

METALLIC LOCKERS

REINFORCED SECURITY CABINETS

STORAGE CABINETS

STORAGE SHELVES

INDUSTRIAL EQUIPMENTS

2021/2022



✉ [commercial@modernemetalint.com](mailto:commercial@modernemetalint.com) ☎ (+216) 96 415 200 / (+216) 73 422 018

📍 Sousse Mahdia Road, Massejed Issa 5042, Monastir 🌐 [modernemetalint.com](http://modernemetalint.com)



المعادن العصرية  
**MODERNE METAL**



# SAFES



## RUSPINA SAFE

Dimensions (HxWxD) : 1500 x 800 x 650 mm

Weight ≈ 1200 kg

## Main Features:

- A single-piece, double-walled body made of armoured, reinforced steel including our extra-hard composite, vibration-packed, fire-proof anti-drilling and very durable composite.
- High-strength steel double-walled door, containing the same extra hard composite.
- The door opens up to 90 degrees thanks to its internal hinges and up to 180 degrees thanks to its external hinges.
- The closing is provided by a high-security lock with double key and different combination models.
- Sticks that keep the door locked.

TN : OTHER DIMENSIONS ON REQUEST



## CARTHAGE SAFE


Dimensions (HxWxD) : 800 x 630 x 540 mm

Weight ≈ 400 kg



ARTICLE DESIGNATION	DIMENSIONS (HxWxD)	WEIGHT ≈
HANNIBAL	1350 x 700 x 550 mm	700 kg
ELISSA	1200 x 600 x 450 mm	530 kg
SENDA	900 x 500 x 420 mm	400 kg
SELMA	550 x 450 x 400 mm	150 kg
JAWAHRA 1	440 x 540 x 400 mm	150 kg
JAWAHRA 2	370 x 490 x 350 mm	120 kg





# SAFETY BOX

## WALL SAFETY BOX



### Main Features:

- Key wall safety box is equipped with a 2.50 mm thick steel body, submerged and sealed in the masonry.
- 8 mm thick steel sheet metal plate door.
- The door opens up to 95 degrees thanks to its internal hinge.
- The door is at the same level as its frame allowing it to be easily concealed under a tapestry, a painting...
- The opening and closing are provided by a high-security key lock.
- The closing is provided by two latches with 18 mm diameters.
- The key wall safety box is equipped with a fixed tablet.
- The key wall safety box is treated with a baked epoxy powder paint.
- Two possible closure systems: key lock or combination of 3 counters.

ARTICLE DESIGNATION	DIMENSIONS (h x l x p)	WEIGHT ≈
CM 350	250 x 350 x 210 mm	17 kg
CM 400	290 x 400 x 230 mm	21 kg
CM 430	320 x 430 x 280 mm	27 kg

## OFFICE SAFETY BOX



### Main Features:

- The office safety box has a 2 mm-thick steel body.
- 8 mm armored steel sheet metal door.
- The door opens up to 90 degrees thanks to its internal hinge.
- The door is in the same level as its frame allowing it to be easily concealed under a tapestry, a painting...
- The opening and closing are provided by a high-security key lock.
- The closing is provided by two 18 mm diameters latches.
- The key wall safety box is equipped with a fixed tablet.
- The key wall safety box is processed with a baked epoxy powder paint.
- Pre-drilling for wall or floor fixation.

ARTICLE DESIGNATION	DIMENSIONS (h x l x p)	WEIGHT ≈
CM 350	250 x 350 x 200 mm	13 kg
CM 400	290 x 400 x 220 mm	17 kg
CM 430	320 x 430 x 250 mm	20 kg



Two door lockers



Nine Cell Lockers

REFERENCE	DIMENSIONS (mm)	CELLS NUMBER
101	1900 x 300 x 500	1
102	1900 x 300 x 500	2
103	1900 x 300 x 500	3
105	1900 x 300 x 500	5
201	1900 x 600 x 500	2
202	1900 x 600 x 500	4
203	1900 x 600 x 500	6
301	1900 x 900 x 500	3
302	1900 x 900 x 500	6
303	1900 x 900 x 500	9

**Main Features:**

- 8/10 thick steel sheet metal.
- Door + 8/10 thick reinforcement.
- 8/10 thick welding metal carcass.
- Padlock or key.
- Steel sheet metal bottom.
- Plastic end frames.
- Color: RAL 7035 textured.

**TN :** OTHER DIMENSIONS ON REQUEST.

# REINFORCED SECURITY CABINETS



## REINFORCED SECURITY CABINETS

### Features:

- A reinforced security cabinet has a 3 mm thick steel body.
- 3 mm thick steel double-walled doors.
- The doors are mounted on exterior hinges ensuring a 180 degrees opening.
- A latch lock mechanism on the front, up and down, controlled by a handle and set by a precision lock with chubb detector lock with double bit and a combination of 3 counter locks with 20-toothed maneuverable by buttons.
- Left leaf condemned by the closure of the right leaf.
- The closure is assured by four 18 mm latches.
- The cabinet is equipped with 4 shelves adjustable in height.
- The reinforced security cabinet is processed with a baked epoxy powder paint.
- Two possible closure systems: key lock or mechanical 3 counters combination lock.

Dimensions (HxWxD) : 1900 x 1000 x 500 mm

Weight ≈ 220 kg



## RIFLE CABINET WITH ELECTRONIC LOCK



### Features:

- A 2.50 mm thick steel body.
- Armored steel double-walled door, its thickness is 8 mm and a total of 58 mm.
- The door opens up to 95 degrees thanks to its internal hinges.
- A latch lock mechanism on the front, up and down, controlled by a handle and set by a high security precision lock, key lock, a combination of 3 counter locks and an electronic lock.
- Rifle cabinet equipped with a security treasure.
- Rifle cabinet equipped with 3 fixed tablets.
- Location for 2 rifles.
- Rifle cabinet is processed with a baked epoxy powder paint.
- Pre-drilling for wall fixation.

Dimensions (HxWxD) : 1650 x 450 x 350 mm

Weight ≈ 160 kg

## KEY RIFLE CABINET







# STORAGE CABINETS

## TWO - DOOR METAL CABINETS



### Main Features:

- Embedded RONIS door handle or espagnolette.
  - 4 adjustable shelves with metal sheet thickness 10/10.
  - Doors thickness 12/10.
  - Textured std RAL 7035 color.
- Dimensions (HxWxD) : 1980 x 950 x 390 mm  
Reference : 2000



### Main Features:

- Embedded RONIS door handle or espagnolette.
  - 2 adjustable shelves with metal sheet thickness 10/10.
  - Doors thickness 12/10.
  - Textured std RAL 7035 color.
- Dimensions (HxWxD) : 1100 x 900 x 390 mm  
Reference : 1100

## Metal door cabinets documents

### Main Features:

- Metal sheet thickness 10/10, Textured std RAL 7035 color.



Four-drawer binder holder  
Dimensions (HxWxD) : 1327 x 420 x 570 mm



Three-drawer binder holder  
Dimensions (HxWxD) : 1040 x 420 x 570 mm



Two-drawer binder holder  
Dimensions (HxWxD) : 738 x 420 x 570 mm



# SHELVES

## ANGLED SHELF

### Main Features:

Shelf fits easily for storage or archiving needs.

- A removable product.
- Metal sheet shelves.
- Simple mounting.
- Multi-shelves



ANGLED SHELF	HEIGHT	LENGTH	DEPTH
1	2000 mm	900 mm	300 mm
2	2500 mm	900 mm	400 mm
3	3000 mm	900 mm	500 mm
4	3000 mm	900 mm	580 mm

## VERSATILE SHELF

### Main Features:

A flexible and robust system recommended for storage and archiving.

- A removable and flexible product.
- Simple assembly without screws.
- Expandable.



VERSATILE SHELF	HEIGHT	LENGTH	DEPTH
1	2000 mm	900 mm	300 mm
2	2500 mm	900 mm	400 mm
3	3000 mm	900 mm	500 mm
4	3000 mm	900 mm	580 mm

## HEAVY SHELF

### Main Features:

The shelving system is designed for optimized storage of all sizes and weights goods.

- Flexible.
- Robust and durable.
- Expandable.



## MIDWEIGHT SHELF

### Main Features:

Flexible and expandable shelf that is suitable for all industry sectors.

- Flexible.
- Simple mounting.
- Versatile.
- Expandable.

## MOVABLE SHELF

### Main Features:

Flexible and expandable shelf that is suitable for all industry sectors.

- Flexible.
- Versatile.
- Expandable.



TN : Dimensions adaptable to the customer's needs after study.



# MEZZANINES

## DIMENSIONS TO ORDER

STORAGE MEZZANINES AND INDUSTRIAL MEZZANINES THAT ALLOW YOU TO DOUBLE OR TRIPLE THE SIZE OF YOUR BUILDINGS. MAKE THE BEST USE OF WORK, STORAGE AND EXPLOIT THE LOST HEIGHT OF YOUR BUILDINGS.

## COUNTER

• DIMENSIONS ON REQUEST



## WORKBENCH

### Main Features:

- Non-skid rubber caps.
- The top is made of solid wood with 40 mm thickness.
- Block of 3 equal drawers with a dimension of 490 X 560 x 180 mm.
- Block door with a fixed middle shelf with a dimension of 490 X 560 x 540 mm.
- The color depends on customer preferences.

Dimension (HxWxD) : 840 x 2000 x 700 mm.



## METAL SERVANT

### Main Features:

- Document holder.
- Aluminium tube handle.
- Welded metal sheet carcass with 12/10 thickness.
- 2 swivel wheels with 125 diameters.
- 2 fixed wheels with 125 diameters.
- Central closing lock.

Dimension (HxWxD) : 1006 X 709 X 500 mm.



# INDUSTRIAL EQUIPMENTS